



Silo Protection Installation
Ensuring Pressure Safety



Hycontrol ensures essential silo pressure safety for Sika

Integrated SPS Silo Protection Systems, installed and commissioned by **Hycontrol**, are ensuring global sealant and adhesive specialists **Sika** meet the latest MPA (**Mineral Products Association**) safety guidelines. The new over-pressurisation systems have been installed on nine 50-tonne capacity silos at their UK headquarters in Welwyn Garden City, three containing cement and six containing sand.



Sika had become concerned that the existing protection systems fell short of the MPA guidelines and asked Hycontrol to carry out a thorough survey of the silos so that updated instrumentation could be installed. Hycontrol have extensive experience in the design and installation of compliant silo protection systems and their engineers found evidence that product had been leaking from the pressure relief valves at the top of the silos, clearly showing that all was not well. The survey revealed that the silos were fitted with their original outdated hinged-door pressure relief valves (PRVs) and the high level alarms (HLAs) were provided by aging paddle switches. In addition there was no pressure monitoring instrumentation or auto-shut off systems to halt the filling process if pressure or product level in the silo exceeded safe levels.



MPA guidelines for silo protection systems recommend that silos should be fitted with three essential components: a pressure relief valve, suitably sized for the application; an effective high level alarm device, programmed to allow sufficient ullage above the final product level and an auto shut off system that halts the filling process should the level in the silo exceed safe levels. Hycontrol's SPS sets the benchmark for effective silo protection. In addition to meeting the MPA requirements, their system also includes an integrated pressure sensor and a Ground Level Testing (GLT) feature, the latter allowing operators to test all key components including the PRV before each and every fill.

For Sika's application, Hycontrol's final recommendation was for nine complete SPS Silo Protection Systems. Each one incorporates the company's latest pressure relief valve, a self-cleaning DP150



Diamond Point vibrating probe on a 1m-long cable providing the HLA, a FLEX501-D pressure sensor and a bespoke alarm panel with GLT capabilities and auto shut off.

Hycontrol's MD **Nigel Allen** is clear on the importance of effective silo

protection: "Silo protection systems sit on top of silos often 'out of sight out of mind' and are *expected* to work if there is a problem. Even if regular visual inspections are carried out, our experience shows that these cannot necessarily determine whether key components such as the PRV will work when required. Our GLT capability carries out a quick, effective test in a few seconds and only when the system has passed can the interlock be opened to commence the filling process in a safe and secure manner."

Sika's Engineering and Facilities Manager **Nick Luxemburg** is very pleased with the new installation: "We take site safety very seriously and had recognised that the existing silo protection systems needed upgrading. The complete installation has been carried out with minimum plant disruption, with Hycontrol engineers working closely with our in-house staff. The SPS systems exceed MPA guidelines and we can rest assured that the silo filling process can be carried out safely and expediently. Following on from this installation we have had no hesitation in ordering similar systems for our two new silos."



Footnote: Sika is a specialty chemical company headquartered in Baar, Switzerland and manufactures and supplies products for bonding, sealing, damp proofing, reinforcing and protecting in the building marine and automotive sectors. Sika has subsidiaries in 89 countries around the world and manufactures in over 160 factories. Worldwide, the company boasts over 16,000 employees.

To read more of our applications in the chemical, food & beverage, nuclear, water & waste, recycling, quarrying and metals industries, please go online at hycontrol.com

Hycontrol UK (Head Office)
Orchard Street
Redditch
Worcestershire
England
B98 7DP
Tel: +44 (0) 1527 406800
Fax: +44 (0)1527 406810
Email: sales@hycontrol.com
Web: www.hycontrol.com

Hycontrol China
Room N601 Peking Times Square
Hui Zhong Li
Chao Yang District
Beijing 100101
China
Tel: +86 108 487 1101
Fax: +86 108 487 1033
Email: simon@hycontrol.com.cn
Web: www.hycontrol.com.cn

HYCONTROL
LEVEL MEASUREMENT SOLUTIONS
